

iridium SatDOCK 9555



iridium SatDOCK 9555

SatDOCK In-vehicle Hands-free docking unit for the latest 9555 Iridium telephone provides a high quality semi-permanent installation, using echo cancelling and full duplex technologies to provide superior voice quality and professional hands-free or privacy installation for any vehicle, boat or aircraft.

The purpose built cradle simply docks the 9555 handset securely, providing an integrated antenna, data and power connection that makes it possible to keep all antenna cables and power permanently connected to the dock ready for use.

The 9555 handset is easily inserted and removed by the press of a button on the top of the dock making it very easy to remove the 9555 for use out of the dock at anytime.

BENEFITS

- 2 year Replacement Guarantee on cradle
- Install antenna, microphone and speaker in a convenient location, within the vehicle
- Voice services are easily accessed
- Data services available using USB connector
- Inbuilt Bluetooth system
- Supports all Iridium internet and data service
- Purpose built to support the Iridium 9555 phone
- Accessible SMA antenna connection
- Hands-free Interface provides all the power and audio outputs
- Line level interface for specialised integrations.
- Optional Privacy Intelligent handset providing access to the same features available directly from the 9555 phone
- Compact privacy handset provides a low cost alternative
- Delay Power OFF functionality after the ignition is turned OFF
- Allows to power unit on accessory power in emergency applications
- Charges 9555 battery whilst in the cradle



Beam SatDOCK, Speaker & Mic



Beam SatDOCK, Iridium 9555 Phone & Privacy Intelligent Handset

KEY FEATURES

- Full duplex hands-free operation
- Supports Privacy Handset Modes
- Integrated antenna and power connection
- USB Data Port
- Sturdy Docking Cradle
- No moving parts
- Handset charging
- USB and serial Data Port interface
- 9-32V DC input
- High quality speaker
- Loud ring indications
- Supports all voice & data services
- Superior Echo cancellation technology
- Supports stereo integration
- Enables connection to Horn alert
- Easy & convenient installation
- Universal mounting bracket
- Auxiliary & constant power modes
- Fully certified – including RoHS
- Wall or Vehicle mounting
- Easy to install

KIT CONTENTS

Beam SatDOCK Cradle

Beam Hands-free & Power Interface

Ram-Mount Steel Mounting Bracket

Interface & Power Cables

Speaker & Microphone

User & Installation Manual

Mounting adhesive / velcro

ACCESSORIES

Basic Privacy Handset

Intelligent Handset

Mast Antenna

Whip Antenna

Magnetic Antenna

Bolt Mount Antenna

Antenna Cable 6m / 18 feet

Antenna Cable 12m / 36 feet

RST080

RST970

RST710

RST714

RST715

RST720

RST932

RST933

LAND APPLICATIONS



SatDOCK 9555 TECHNICAL SPECIFICATIONS

IRIDIUM NETWORK

9555 Handset	1616 - 1625 MHz
Compressed Data	10 - 12 kbps
Voice / Data Modulation	2.4 kbps

9555SD IN-VEHICLE HANDS FREE

Power Specifications

Power Input Voltage	10 - 32 V DC	
Power Consumption (AMPS)	12 V DC	24 V DC
Stand by - incl handset	0.33	0.14
Transmit - incl handset	0.63	0.23

* Assumes battery charged

Physical Specifications

	SatDOCK	Interface	Packed
Dimensions - mm	158L x 62W x 59D	183 x 103 x 27	
Dimensions - inches	7.73 x 3.25 x 3.25	7.2 x 5.1 x 1.0	
Weight - kg	0.37	0.3	
Weight - lbs	0.7	0.66	

Environment Specifications

	Degrees °C	Degrees °F
Operating Range	-30 to +70	-22 to +158
Storage	-40 to +85	-40 to +185
Humidity	≤ 93% RH	

Buttons/LEDs

Button	LED
Mute/Ringer	On-cradle
Handset Release	Top of cradle
Backlight	No LED
	White LED


Connectors / Interfaces

SatDOCK to Hands Free	D25
Antenna	Fixed Cable to SMA-Female
10-32V DC	Screw Connector
Intelligent Handset	RJ45 DPL BUS
Data Port	RS232 Serial Interface
Speaker	3.5mm mono
Microphone	2.5mm mono
Line In / Out	Screw Connector

Certifications

Iridium
Electrical Safety
EMC Compliance
C Tick
CE Compliance
RoHS

Independent Aeronautical certification **MUST** be gained prior to installation



APPROVED BEAM RESELLER:

PHONE: +61 3 8588 4500 FAX: +61 3 8588 4599
EMAIL: info@beamcommunications.com
WEB: www.beamcommunications.com



AFRICA | ASIA | AUSTRALIA | EUROPE | MIDDLE EAST | NORTH AMERICA | SOUTH AMERICA