

BLUE SKY NETWORK




RESILIENCY SOLUTIONS

*Voice solutions for disaster
preparedness and business
continuity*

Blue Sky Network 

www.blueskynetwork.com

PREMIER EMERGENCY VOICE AND RESILIENCY SOLUTIONS



Blue Sky Network provides premier Iridium voice communication solutions for your emergency preparedness and business continuity plan.

From single-level structures to the world's tallest buildings, we eliminate the challenges of bringing satellite voice indoors with installations that perfectly match your needs.

RESOURCES

Click the button below to download resources, such as data sheets, instructions, quick start guides, and to create a tailored solution.

CLICK HERE



RESILIENCY SYSTEM COMPONENTS

Protect your Iridium satellite phone from severe weather with a fixed indoor installation or achieve grab-and-go mobility with a removable handset.


Our resiliency packages support all Iridium handsets.

ANTENNA AND CABLE SELECTION:

- › **ASE-PFA12** 12M (39 ft), LMR600, Premium Passive Filtered Antenna Lightning Arrester
- › **ASE-PFA20** 20M (66 ft), LMR600, Premium Passive Filtered Antenna Lightning Arrester
- › **ASE-PFA27** 27M (89 ft), LMR200, Premium Active Powered Filtered Antenna Lightning Arrester
- › **ASE-PFA40** 40M (131 ft), RG213, Premium Active Powered Filtered Antenna Lightning Arrester
- › **ASE-PFA70** 70M (230 ft), LMR400, Premium Active Powered Filtered Antenna Lightning Arrester
- › **ASE-PFA88** 88M (289 ft), LMR500, Premium Active Powered Filtered Antenna Lightning Arrester
- › **ASE-PFA105** 105M (344 ft), LMR600, Premium Active Powered Filtered Antenna Lightning Arrester
- › **ASE-FA12** 12M (39 ft), LMR400, Passive Antenna
- › **ASE-FA20** 20M (65 ft), LMR600, Passive Antenna

INDOOR SATELLITE PHONE

- ASE 9555-DK050/DK075
- ASE 9575
- ASE 9505A (MC03)
- ASE MC08 - FIXED STATION



INDOOR SATELLITE PHONE OPTIONS

IRIDIUM 9555 DOCKING STATION



ASE-DK075



ASE-DK075-H87

IRIDIUM 9555 DOCKING STATION OPTIONS:

- | | |
|------------------|--|
| ASE-DK075 | 9555 docking station with POTS for office infrastructure integration |
| ASE-DK050 | Docking station only |

ADDITIONAL SYSTEM OPTIONS:

- | | |
|--------------------------------|-------------------------|
| ASE-DK050-H87/DK075-H87 | Includes corded handset |
|--------------------------------|-------------------------|

9555 DOCKING STATION RESOURCES:

Click on the button to the right to access product resources and files such as the user guide, quick start guide, fact sheets, and more.

CLICK HERE



IRIDIUM 9575 DOCKING STATION



ASE-9575P-HQ-H87



ASE-9575P-HQ-P

IRIDIUM 9575 DOCKING STATION OPTIONS:

- | | |
|---------------------|--|
| ASE-9575P-HQ | 9575 docking station with POTS for office infrastructure integration |
|---------------------|--|

ADDITIONAL SYSTEM OPTIONS:

- | | |
|-------------------------|-------------------------|
| ASE-9575P-HQ-H87 | Includes corded handset |
| ASE-9575P-HQ-P | Palm speaker/mic |

9575 DOCKING STATION RESOURCES

Click on the button to the right to access product resources and files such as the user guide, quick start guide, brochure, images, and more.

CLICK HERE



INDOOR SATELLITE PHONE OPTIONS

FIXED SITE TERMINAL SOLUTIONS

Use a fixed site installation when you want to ensure all the components of your emergency system remain completely in place. A built-in transceiver provides readily available indoor satellite communication.



ASE-MC08



ASE-MC08-H87

COMCENTER II INDOOR OPTIONS:

ASE-MC08

Fixed station Iridium voice terminal with POTS for office infrastructure integration

- › Includes ADU (MC08G), 50' (15 meter) cable (12050T), breakout plastic wall plate (12000T), and mounting bracket (MNT20).

ASE-MC08-H87

Fixed station Iridium voice terminal with POTS for office infrastructure integration and privacy handset

- › Includes ADU (MC08G), privacy handset (ASE-MNT07), 50' (15 meter) cable (12050T), breakout plastic wall plate (12000T), and mounting bracket (MNT20).

MC08 RESOURCES:

Click on the button to the right to access product resources and files such as the user guide, quick start guide, brochures, images, and more.

CLICK HERE



ANTENNA AND CABLE OPTIONS

CABLE LENGTHS AND ANTENNA OPTIONS



ACTIVE POWERED

- › **ASE-PFA12** 12M (39 ft), LMR600, Premium Passive Filtered Antenna Lightning Arrester
- › **ASE-PFA20** 20M (66 ft), LMR600, Premium Passive Filtered Antenna Lightning Arrester
- › **ASE-PFA27** 27M (89 ft), LMR200, Premium Active Powered Filtered Antenna Lightning Arrester



PREMIUM FILTERED

- › **ASE-PFA40** 40M (131 ft), RG213, Premium Active Powered Filtered Antenna Lightning Arrester
- › **ASE-PFA70** 70M (230 ft), LMR400, Premium Active Powered Filtered Antenna Lightning Arrester
- › **ASE-PFA88** 88M (289 ft), LMR500, Premium Active Powered Filtered Antenna Lightning Arrester



PASSIVE

- › **ASE-PFA105** 105M (344 ft), LMR600, Premium Active Powered Filtered Antenna Lightning Arrester
- › **ASE-FA12** 12M (39 ft), LMR400, Passive Antenna
- › **ASE-FA20** 20M (65 ft), LMR600, Passive Antenna

ANTENNA AND CABLE RESOURCES:


Click on the button to the right to access product resources and files such as installation manuals, brochures, fact sheets, and more.

CLICK HERE



COMCENTER II OUTDOOR SYSTEM COMPONENTS

ASE-MC05 FIXED SITE TERMINAL SOLUTION



ALL-IN-ONE RESILIENCY SYSTEM OPTIONS

COMCENTER II OUTDOOR FIXED STATION TERMINAL



ASE-MC05

COMCENTER II OUTDOOR OPTIONS:

ASE-MC05

Fixed station Iridium voice terminal with POTS for office infrastructure integration

- › Includes ADU (MC05), 50' (15 meter) cable (12050T), breakout plastic wall plate (12000T), and mounting bracket (MNT20).

CABLE EXTENDER OPTIONS:

ASE-12050T

50' (15 meters)

ASE-12100T

100' (30 meters)

ASE-12150T

150' (60 meters)

ASE-12328T

328' (100 meters)

COMCENTER II OUTDOOR RESOURCES:

Click on the button to the right to access product resources and files such as installation manuals, user guides, data sheets, and more.

[CLICK HERE](#)



RESILIENCY PACKAGE COMPONENTS

SPECIFICATIONS AND SHIPPING INFORMATION

ASE-9575P-HQ-P	Standard/Push to Talk Docking Station with POTS and GPS: Includes dock, office mount, palm speaker/mic Harmonized Code - HTS#: 8518.30.2000 ECCN: EAR99 Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)	
ASE-9575P-HQ-H87	Standard/Push to Talk Docking Station with POTS and GPS: Includes dock, office mount, DPL intelligent handset Harmonized Code - HTS#: 8518.30.2000 ECCN: EAR99 Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)	
ASE-9575P-HQ	Standard/Push to Talk Docking Station with POTS and GPS: Includes dock, office mount Harmonized Code - HTS#: 8518.30.2000 ECCN: EAR99 Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)	
ASE-DK050	9555 Docking Station: Includes DK050 docking station Harmonized Code - HTS#: 8518.30.2000 ECCN: EAR99 Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)	
ASE-DK050-H87	9555 Docking Station: Includes DK050 docking station, DPL intelligent handset Harmonized Code - HTS#: 8518.30.2000 ECCN: EAR99 Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)	
ASE-DK075	9555 Docking Station: Includes DK075 with POTS docking station Harmonized Code - HTS#: 8518.30.2000 ECCN: EAR99 Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)	
ASE-DK075-H87	9555 Docking Station: Includes DK075 with POTS docking station, DPL intelligent handset Harmonized Code - HTS#: 8518.30.2000 ECCN: EAR99 Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)	

RESILIENCY PACKAGE COMPONENTS

SPECIFICATIONS AND SHIPPING INFORMATION

ASE-MC08

ComCenter II Indoor: Fixed station iridium voice terminal

Harmonized Code - HTS#: 8517.62.0050 **ECCN:** 5A992.a

Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)



ASE-MC08-H87

ComCenter II Indoor: Fixed station iridium voice terminal

Harmonized Code - HTS#: 8517.62.0050 **ECCN:** 5A992.a

Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)



ASE-PT01

POTS Station: Includes POTS phone, mount plate, and instruction placard

Harmonized Code - HTS#: 8518.30.2000 **ECCN:** EAR99

Shipping Dimensions: 16 x 14 x 8 in., 5 lbs. (41 cm x 36 cm x 20 cm, 2 kg)



ASE-PFA12

Premium Filtered Passive Antenna kit: 39' (12 meters) LMR600 cable, premium passive filtered antenna, lightning arrester, and mounting bracket

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)



ASE-PFA20

Premium Filtered Passive Antenna kit: 66' (20 meters) LMR600 cable, premium passive filtered antenna, lightning arrester, and mounting bracket

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 16 x 14 x 8 in., 12 lbs. (41 cm x 36 cm x 20 cm, 5 kg)



ASE-PFA27

Premium Filtered Active Antenna kit: 89' (27 meters) LMR200 cable, premium active filtered antenna, lightning arrester, interface box, and mounting bracket

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 16 x 14 x 8 in., 18 lbs. (41 cm x 36 cm x 20 cm, 8 kg)



ASE-PFA40

Premium Filtered Active Antenna kit: 131' (40 meters) RG213 cable, premium active filtered antenna, lightning arrester, interface box, and mounting bracket

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 20 x 16 x 14 in., 24 lbs. (41 cm x 36 cm x 20 cm, 11 kg)



RESILIENCY PACKAGE COMPONENTS

SPECIFICATIONS AND SHIPPING INFORMATION

ASE-PFA70

Premium Filtered Active Antenna kit: 230' (70 meters) LMR400 cable, premium active filtered antenna, lightning arrester, interface box, and mounting bracket

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 20 x 16 x 14 in., 32 lbs. (41 cm x 36 cm x 20 cm, 15 kg)



ASE-PFA88

Premium Filtered Active Antenna kit: 289' (88 meters) LMR500 cable, premium active filtered antenna, lightning arrester, interface box, and mounting bracket

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 20 x 16 x 14 in., 38 lbs. (41 cm x 36 cm x 20 cm, 17 kg)



ASE-PFA105

Premium Filtered Active Antenna kit: 344' (105 meters) LMR600 cable, premium active filtered antenna, lightning arrester, interface box, and mounting bracket

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 20 x 16 x 14 in., 42 lbs. (41 cm x 36 cm x 20 cm, 19 kg)



ASE-FA12

Passive Antenna kit: 40 ft (12 m) LMR400 cable, passive antenna, and mount

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 16 x 14 x 8 in., 6 lbs. (41 cm x 36 cm x 20 cm, 3 kg)



ASE-FA20

Passive Antenna kit: 66 ft (20 m) LMR600 cable, passive antenna, and mount

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 16 x 14 x 8 in., 12 lbs. (41 cm x 36 cm x 20 cm, 5 kg)



ASE-DA12

DA12: 40 ft (12 m) 2 x LMR400 cable, Dual (Irid/GPS) antenna

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 16 x 14 x 8 in., 12 lbs. (41 cm x 36 cm x 20 cm, 5 kg)



ASE-DA20

DA20: 66 ft (20 m) 2 x LMR600 cable, Dual (Irid/GPS) antenna

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 20 x 16 x 14 in., 20 lbs. (51 cm x 41 cm x 36 cm, 9 kg)



RESILIENCY PACKAGE COMPONENTS

SPECIFICATIONS AND SHIPPING INFORMATION

ASE-DA40

DA40: 131 ft (40 m) 2 x RG214 cable, active antenna, and GPS antenna

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 20 x 16 x 14 in., 20 lbs. (51 cm x 41 cm x 36 cm, 14 kg)



ASE-DA70

DA70: 230 ft (70 m) 2 x LMR400 cable, active antenna, and GPS antenna

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 22 x 18 x 16 in., 52 lbs. (56 cm x 46 cm x 41 cm, 24 kg)



ASE-LA01 / LA02

ASE-LA01: Lightning arrester for premium antenna kits (PFA)

ASE-LA02: Lightning arrester for antenna kits (ASE-FA12 and ASE-FA20)

Harmonized Code - HTS#: 8517.70.0000 **ECCN:** EAR99

Shipping Dimensions: 8 x 8 x 8 in., 2 lbs. (20 cm x 20 cm x 20 cm, 1 kg)



ASE-MNT01

Handset and Mounting kit: For 9555 Docking station family

Harmonized Code - HTS#: 8518.30.2000 **ECCN:** EAR99

Shipping Dimensions: 8 x 8 x 8 in., 2 lbs. (20 cm x 20 cm x 20 cm, 1 kg)



ASE-MNT03

Handset and Mounting kit: For 9575 Docking station family

Harmonized Code - HTS#: 8504.40.8500 **ECCN:** EAR99

Shipping Dimensions: 8 x 8 x 8 in., 2 lbs. (20 cm x 20 cm x 20 cm, 1 kg)



ASE-MNT04

Handset and Mounting kit: For 9505A Docking station family

Harmonized Code - HTS#: 8518.30.2000 **ECCN:** EAR99

Shipping Dimensions: 8 x 8 x 8 in., 2 lbs. (20 cm x 20 cm x 20 cm, 1 kg)



ASE-MNT07

Handset and Mounting kit: For ComCenter II family

Harmonized Code - HTS#: 8518.30.2000 **ECCN:** EAR99

Shipping Dimensions: 8 x 8 x 3 in., 2 lbs. (20 cm x 20 cm x 8 cm, 1 kg)



RESILIENCY PACKAGE COMPONENTS

SPECIFICATIONS AND SHIPPING INFORMATION

ASE-PS01

ASE-PS01: AC/DC converter for 9505A docking station family

Harmonized Code - HTS#: 8504.40.8500 **ECCN:** EAR99

Shipping Dimensions: 9 x 9 x 3 in., 2 lbs. (23 cm x 23 cm x 8 cm, 1 kg)



ASE-PS02

ASE-PS02: DC converter with cigarette lighter adapter

Harmonized Code - HTS#: 8504.40.8500 **ECCN:** EAR99

Shipping Dimensions: 9 x 9 x 3 in., 2 lbs. (23 cm x 23 cm x 8 cm, 1 kg)



ASE-PS05

ASE-PS05: AC/DC converter for 9555 and 9575 docking station families, and ComCenter II Indoor station

Harmonized Code - HTS#: 8504.40.8500 **ECCN:** EAR99

Shipping Dimensions: 9 x 9 x 3 in., 2 lbs. (23 cm x 23 cm x 8 cm, 1 kg)



ASE-PS06

ASE-PS06: DC power cable with cigarette lighter adapter

Harmonized Code - HTS#: 8504.40.8500 **ECCN:** EAR99

Shipping Dimensions: 9 x 9 x 3 in., 2 lbs. (23 cm x 23 cm x 8 cm, 1 kg)



ASE-PS07

ASE-PS07: AC/DC converter for ComCenter II Outdoor

Harmonized Code - HTS#: 8504.40.8500 **ECCN:** EAR99

Shipping Dimensions: 9 x 9 x 3 in., 2 lbs. (23 cm x 23 cm x 8 cm, 1 kg)



ASE-PS071-2

ASE-PS071-2: AC/DC converter for AA511-2 active antenna

Harmonized Code - HTS#: 8504.40.8500 **ECCN:** EAR99

Shipping Dimensions: 9 x 9 x 3 in., 2 lbs. (23 cm x 23 cm x 8 cm, 1 kg)



ASE-MC05

ComCenter II Outdoor: Fixed station iridium voice terminal (MC05) with built in antenna for exposed installation.

Harmonized Code - HTS#: 8517.62.0050 **ECCN:** 5A992.a

Shipping Dimensions: 16 x 13 x 13 in., 10 lbs. (41 cm x 33 cm x 33 cm, 5 kg)



RESILIENCY PACKAGE COMPONENTS

SPECIFICATIONS AND SHIPPING INFORMATION

ASE-12000T

RJ11 and RJ45 cable adapter for the ComCenter Outdoor - cable adapter for the ComCenter Outdoor - RJ11/RJ45/Power and plastic wall plate

Harmonized Code - HTS#: 8544.20.0000 **ECCN:** EAR99

Shipping Dimensions: 8 x 8 x 3 in., 2 lbs. (20 cm x 20 cm x 8 cm, 1 kg)



ASE-12050T

50' (15m) Cable for ComCenter II Outdoor - turret connection 1" (3cm) diameter

Harmonized Code - HTS#: 8544.20.0000 **ECCN:** EAR99

Shipping Dimensions: 20 x 16 x 8 in., 3 lbs. (51 cm x 41 cm x 20 cm, 2 kg)



ASE-12100T

100' (30m) Cable for ComCenter II Outdoor - turret connection 1" (3cm) diameter

Harmonized Code - HTS#: 8544.20.0000 **ECCN:** EAR99

Shipping Dimensions: 20 x 16 x 8 in., 6 lbs. (51 cm x 41 cm x 20 cm, 3 kg)



ASE-12150T

150' (46m) Cable for ComCenter II Outdoor - turret connection 1" (3cm) diameter

Harmonized Code - HTS#: 8544.20.0000 **ECCN:** EAR99

Shipping Dimensions: 20 x 16 x 8 in., 9 lbs. (51 cm x 41 cm x 20 cm, 4 kg)



ASE-12328T

328' (100m) Cable for ComCenter II Outdoor - turret connection 1" (3cm) diameter

Harmonized Code - HTS#: 8544.20.0000 **ECCN:** EAR99

Shipping Dimensions: 20 x 16 x 8 in., 16 lbs. (51 cm x 41 cm x 20 cm, 7 kg)



ASE-GSK01-CIT

Gasket Kit for ComCenter Outdoor II - annual maintenance gasket kit

Harmonized Code - HTS#: 8544.20.0000 **ECCN:** EAR99

Shipping Dimensions: 12 x 8 x 3 in., 2 lbs. (30 cm x 20 cm x 8 cm, 1 kg)



ASE-MNT20

Mounting System for ComCenter Outdoor: Vibration mount bracket with horizontal or vertical mounting options

Harmonized Code - HTS#: 8544.20.0000 **ECCN:** EAR99

Shipping Dimensions: 8 x 8 x 8 in., 2 lbs. (20 cm x 20 cm x 20 cm, 1 kg)

